security [®] quotient.	
	color:yellowgraep* Color:white;">1 100010001100110010010010000000000000
2000110 200110 20011100 100010 100	
	BIORSOF
	0001000197/Non - Persisted properties 1 00 00110000001101
	Pior o, data Invistyle ackground while the text runs across the top.

1/1 persisted properties

<html> HTML font code is done using CSS:
<html> <body style="background-color:yellowgreen;color:white;">
<html> < todelistid = data todeidb;</pre>

Unexpected Logins

Frequent logins to servers at odd hours may indicate an APT attack, as attackers often work in different time zones or at night to avoid detection.

10 1001100010011000000001100000

The image can be tiled across the background, while the text runs across the top.

height text - :200px;"Philophia

11background text-todoitem 10

/ Non - persisted properties <html> <errorMessage = ko', observable()⁰;



p>You can make < span style="font-style:italic">some </ span> the HTML 'span' tag. p>You can bold < span style="">parts </ span> of your text using the HTML tag.

html> HTML font code is done using CSS.</p html> <body style="background-

color:vellowareen:

OIOF.WOILE: 20000000110-11001

ncrease in backdoor trojans

A rise in detected backdoor trojans could signal an APT attack. Attackers use these trojans to maintain persistent access even if login credentials change.



Spear-phishing emails

Spear-phishing emails targeting senior leadership team are a clear sign of an APT attack aiming to gain access to restricted data.



security[®] quotient.

Singapore | India | Malaysia

Change human cyber security behavior with

